



CACHE-A

ARCHIVE APPLIANCES



*with 4 TERABYTES
of RAID0 / RAID1*

Pro-Cache has advanced features demanded by media professionals for on-set or in-studio

- eSATA connections for fast access to direct attached storage
- SAS connections allows high speed mounts and expansion
- ExpressCard slot accommodates FireWire and more
- Rack Mountable, sturdy 3RU / half rack chassis

Archiving Made Easy

- **Built-in searchable database of all of your tapes**
 - Pro-Cache remembers every single Cache-A tape it has ever seen
 - Power Search Restore allows one step recovery from multiple tapes
 - Pro-Cache shares its catalog database with all other A-Series decks on the network
- **Automated archive capability built-in**
 - Schedule events to archive any network shared volumes at any time
 - One-time, daily, weekly or monthly events cover all archiving needs
- **Span archives across multiple cartridges**
 - Treat a group of tapes as a single entity with a single directory of all content
- **Standard LTO tape "tar" compatibility**
 - No special hardware or software needed to read Cache-A tapes on any LTO-4 or LTO-5 drive

PRO-CACHE4™ LTO-4 800GB AND PRO-CACHE5™ LTO-5 1.5TB DATA TAPE DECKS

Direct archive access from any platform

- Simultaneous multi-user access
- Volume sharing and FTP built-in
- Windows / MacOS / Unix
- Web page control over all operations
- FTP, Samba, NFS, AFP, Bonjour
- USB, SAS, eSATA, & ExpressCard device connections

Directory on each tape

- Media is portable, shelf-storable, interchangeable
- Directly accessible with no special software
- Self contained, self-describing LTO media

Easy to deploy and use

- Plug and play integration into Gb Ethernet networks
- Integrates seamlessly into file based workflows
- Self-contained appliance is a complete solution
- Allows users to treat LTO tape like a NAS

Content aware options

- Fully searchable database built-in
- Associate metadata with any file, folder or tape
- .mxf, .mov and .r3d file type support planned





CACHE-A

ARCHIVE APPLIANCES



Pro-Cache4 / Pro-Cache5 Data Tape Deck

Technical Specifications

Pro-Cache System Specs

- IP Services
 - NFS - Unix/Linux
 - SMB/CIFS - Windows
 - AFP - MacOS
 - Bonjour / ZeroConf
 - FTP
 - HTTP for status, management, configuration & file transfers
 - "Support-Connect" for full remote service capability
- Sustained Transfer Rate — up to 75MB/s (LTO-4) (configured for RAID 0)
- Hard Disk Drive — 2000 GB X 2 – RAID0/1
- Connectivity
 - GB Ethernet Port
 - USB Ports x 6 (2 front, 4 rear)
 - eSATA x 2 (1 std, 1 on SAS)
 - ExpressCard34/54
 - SAS x3 (4 lane connector)
 - VGA Monitor, Mouse & Keybd for Maintenance
- Compatibility — GNU or POSIX tar v1.20 or later
- Internal File System — ext3
- Mountable File Systems — usbfs, vfat, msdos, fat32, hfs+, iso9660, ntfs, ext3, reiserfs, xfs, ext, ext2, umsdos, sysv, hpfs
- API — SOAP / XML

LTO Drive Specs

- | | Pro4 | Pro5 |
|--------------------------|----------------------|-----------------|
| ■ Native Capacity | — 800 GB | 1500 GB |
| ■ Average Access Time | — 64 Sec | 52 Sec from BOT |
| ■ Rewind Time | — 121 Sec | 96 Sec from EOT |
| ■ Average Load Time | — >19 Seconds | |
| ■ MTBF | — 250,000 Hours | |
| ■ Uncorrected Error Rate | — 1x10 ¹⁷ | |

Media Specs

- Archival Life — 30 years
- Durability — 5,000 load/unload cycles

Physical Specs

- Power
 - 120VAC/240VAC 50/60 Hz
 - 200 Watts
- Dimensions
 - 5.25 in (3 RU) x 8.5 in x 14 in
 - 133 mm x 216 mm x 356mm
- Weight — 16 lbs / 7.3 Kg



SAS x3 + eSATA x1
ExpressCard34/54
eSATA

Power Service Mouse Service Gb E 1 Gb E 0
Keyboard Keyboard Monitor USB3 USB5
USB4 USB6

AUTHORIZED RESELLER

nvtdigital inc.



www.nvtdigital.com
1-877-854-5000